

CERTIFICATE OF CONSTANCY OF PERFORMANCE

0809 - CPR – 1015

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction products

Mineral wool products for thermal insulation

presented in pages 2 – 20

produced by

Paroc Group

**Energiakuja3, P.O. Box 240
FI-00181 Helsinki**

and produced in the manufacturing plants

**Paroc Oy Ab, FI - 21600 Parainen
Paroc Oy Ab, Poikkitie 1, FI - 53650 Lappeenranta
Paroc Oy Ab, Mineraalitie, FI - 90620 Oulu
Paroc AB, SE - 53394 Hällekis
Paroc AB, Norra Industrigatan, SE - 28122 Hässleholm
UAB Paroc, Savanoriu 124, LT - 03153 Vilnius
Paroc Polska Sp. z o.o., Ul. Gnieznienska 4, PL - 62-240 Trzemeszno**

according to pages 21- 30

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

EN 13162:2012

under system 1 are applied and that

the construction products fulfil all the prescribed requirements for these performances.

This certificate was first issued on September 16, 2013, updated on December 18, 2013, June 27, 2014 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performances of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the product certification body.

Espoo June 27, 2014

Tiina Ala-Outinen
Business Manager

Ritva Paalanen
Lead Assessor

Certificate No 0809-CPR- 1015

27.6.2014

Product name	Certification No	Description	Thickness	Direction for use	Thermal conductivity, λ_D , W/mK	Fire classification, Euroclass	Compressive stress, CS(10), kPa	Compressive strength, CS(Y), kPa	Point load, PL(5), N	Tensile strength, TR, kPa	Shear strength, SS, kPa	Water absorption, WS, Short	Water absorption, WL(P),	Water vapour transmission (MU _i or Zi)	Designation code of the manufacturer
**	Fire classification is A2-s1,d0 when the Tyvek is on the back side of the product.														
Absorptiolevy	0809-CPR-1015-1	Glass fiber tissue facade board	T5	S	0,034	A1						1	3	- Z(0,12)	T5-DS(70,-) -Z(0,12)
PAROC BS 100	0809-CPR-1015-2	Uncoated slab	T5	S	0,037	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC BS 100a	0809-CPR-1015-3	Aluminium faced slab	T5	S	0,037	A1						1	3	- Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC BS 100t, tb	0809-CPR-1015-4	Glass fibre tissue faced slab	T5	S	0,037	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC BS 120	0809-CPR-1015-5	Uncoated slab	T5	S	0,037	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC BS 120a	0809-CPR-1015-6	Aluminium faced slab	T5	S	0,037	A1						1	3	- Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC BS 120t, tb	0809-CPR-1015-7	Glass fibre tissue faced slab	T5	S	0,037	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC BS 150	0809-CPR-1015-8	Uncoated slab	T5	S	0,037	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC BS 150a	0809-CPR-1015-9	Aluminium faced slab	T5	S	0,037	A1						1	3	- Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC BS 150t, tb	0809-CPR-1015-10	Glass fibre tissue faced slab	T5	S	0,037	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC BS 40	0809-CPR-1015-11	Uncoated slab	T4	S	0,034	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC BS 40a	0809-CPR-1015-12	Aluminium faced	T4	S	0,034	A1						1	3	-	T4-DS(70,-) -Z(6,00)

Certificate No 0809-CPR- 1015

27.6.2014

		slab												Z(6,00)	
PAROC BS 40p	0809-CPR-1015-13	Paper faced slab	T4	S	0,034	F						1	3	- Z(0,12)	T4-DS(70,-) -Z(0,12)
PAROC BS 40t, tb	0809-CPR-1015-14	Glass fibre tissue faced slab	T4	S	0,034	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC BS 50	0809-CPR-1015-15	Uncoated slab	T4	S	0,034	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC BS 50a	0809-CPR-1015-16	Aluminium faced slab	T4	S	0,034	A1						1	3	- Z(6,00)	T4-DS(70,-) -Z(6,00)
PAROC BS 50p	0809-CPR-1015-17	Paper faced slab	T4	S	0,034	F						1	3	- Z(0,12)	T4-DS(70,-) -Z(0,12)
PAROC BS 50t, tb	0809-CPR-1015-18	Glass fibre tissue faced slab	T4	S	0,034	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC BS 70	0809-CPR-1015-19	Uncoated slab	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC BS 70a	0809-CPR-1015-20	Aluminium faced slab	T5	S	0,034	A1						1	3	- Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC BS 70p	0809-CPR-1015-21	Paper faced slab	T5	S	0,034	F						1	3	- Z(0,12)	T5-DS(70,-) -Z(0,12)
PAROC BS 70t, tb	0809-CPR-1015-22	Glass fibre tissue faced slab	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC BS 80	0809-CPR-1015-23	Uncoated slab	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC BS 80a	0809-CPR-1015-24	Aluminium faced slab	T5	S	0,034	A1						1	3	- Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC BS 80t, tb	0809-CPR-1015-25	Glass fibre tissue faced slab	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CEL 100C	0809-CPR-1015-26	Uncoated lamella	T5	L	0,045	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CEL 35C	0809-CPR-1015-27	Uncoated lamella	T5	L	0,039	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CEL 40CS50	0809-CPR-1015-28	Uncoated lamella	T5	L	0,039	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CEL 50C	0809-CPR-1015-29	Uncoated lamella	T5	L	0,040	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CEL 50C41	0809-CPR-1015-30	Uncoated lamella	T5	L	0,041	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CEL	0809-CPR-1015-31	Uncoated lamella	T5	L	0,044	A1						1	3	-MU1	T5-DS(70,-)-CS(Y)100-

Certificate No 0809-CPR- 1015

27.6.2014

50CS100								Y)1 00							MU1
PAROC CEL 50CS100rl	0809-CPR-1015-32	Uncoated lamella	T5	L	0,043	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CEL 50CS75	0809-CPR-1015-33	Uncoated lamella	T5	L	0,040	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CEL 50F	0809-CPR-1015-34	Uncoated lamella	T5	L	0,045	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CEL 60CS100	0809-CPR-1015-35	Uncoated lamella	T5	L	0,041	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CEL 75F	0809-CPR-1015-36	Uncoated lamella	T5	L	0,045	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CEL 90CS150	0809-CPR-1015-37	Uncoated lamella	T5	L	0,045	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CES 100C	0809-CPR-1015-38	Uncoated slab	T5	L	0,045	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CES 35C	0809-CPR-1015-39	Uncoated slab	T5	L	0,039	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CES 40CS50	0809-CPR-1015-40	Uncoated slab	T5	L	0,039	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CES 50C	0809-CPR-1015-41	Uncoated slab	T5	L	0,040	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CES 50C41	0809-CPR-1015-42	Uncoated slab	T5	L	0,041	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CES 50CS100	0809-CPR-1015-43	Uncoated slab	T5	L	0,044	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CES 50CS100rl	0809-CPR-1015-44	Uncoated slab	T5	L	0,043	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CES 50CS75	0809-CPR-1015-45	Uncoated slab	T5	L	0,040	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CES 50F	0809-CPR-1015-46	Uncoated slab	T5	L	0,045	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CES 60CS100	0809-CPR-1015-47	Uncoated slab	T5	L	0,041	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CES 75F	0809-CPR-1015-48	Uncoated slab	T5	L	0,045	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CES 90CS150	0809-CPR-1015-49	Uncoated slab	T5	L	0,045	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC CGL 20	0809-CPR-1015-50	Uncoated lamella	T5	L	0,037	A1		- CS(Y)2		- TR20		1	3	-MU1	T5-DS(70,90)-CS(Y)20- TR20-MU1

Certificate No 0809-CPR- 1015

27.6.2014

								0							
PAROC CGL 20cc	0809-CPR-1015-51	Both sides coated lamella	T5	L	0,037	A1		- CS(Y)20		- TR20		1	3	-MU1	T5-DS(70,90)-CS(Y)20-TR20-MU1
PAROC CGL 20cy	0809-CPR-1015-52	Coated lamella, edges cut	T5	L	0,037	A1		- CS(Y)20		- TR20		1	3	-MU1	T5-DS(70,90)-CS(Y)20-TR20-MU1
PAROC CGL 20cyc	0809-CPR-1015-53	Both sides coated lamella, edges cut	T5	L	0,037	A1		- CS(Y)20		- TR20		1	3	-MU1	T5-DS(70,90)-CS(Y)20-TR20-MU1
PAROC CGL 20y	0809-CPR-1015-54	Uncoated lamella, edges cut	T5	L	0,037	A1		- CS(Y)20		- TR20		1	3	-MU1	T5-DS(70,90)-CS(Y)20-TR20-MU1
PAROC CGL 20yc	0809-CPR-1015-55	Coated lamella, edges cut	T5	L	0,037	A1		- CS(Y)20		- TR20		1	3	-MU1	T5-DS(70,90)-CS(Y)20-TR20-MU1
PAROC CGL 80	0809-CPR-1015-56	Uncoated lamella	T5	L	0,040	A1		- CS(Y)50		- TR80		1	3	-MU1	T5-DS(70,90)-CS(Y)50-TR80-MU1
PAROC CGS 1t	0809-CPR-1015-57	Glass fibre tissue faced slab	T5	S	0,033	A1						1	3	-MU1	T5-DS(70,90)-MU1
PAROC CGS 1tt	0809-CPR-1015-58	Glass fibre tissue faced slab	T5	S	0,039	A1						1	3	-MU1	T5-DS(70,90)-MU1
PAROC COL 40	0809-CPR-1015-59	Uncoated lamella	T5	L	0,039	A1		- CS(Y)40		- TR70		1	3	-MU1	T5-DS(70,90)-CS(Y)40-TR70-MU1

Certificate No 0809-CPR- 1015

27.6.2014

PAROC COL 40g	0809-CPR-1015-60	Uncoated lamella, grooves in one direction	T5	L	0,039	A1		- CS(Y)4 0		- TR70		1	3	-MU1	T5-DS(70,90)-CS(Y)40- TR70-MU1
PAROC COL 40gg	0809-CPR-1015-61	Uncoated lamella, grooves in two directions	T5	L	0,039	A1		- CS(Y)4 0		- TR70		1	3	-MU1	T5-DS(70,90)-CS(Y)40- TR70-MU1
PAROC Cortex	0809-CPR-1015-62	Wind tight covering faced slab	T5	S	0,033	A2- s1,d0						1	3	- Z(0,10)	T5-DS(70,-) -Z(0,10)
PAROC Cortex b	0809-CPR-1015-63	Wind tight covering faced slab	T5	S	0,033	A2- s1,d0						1	3	- Z(0,10)	T5-DS(70,-) -Z(0,10)
PAROC Cortex One	0809-CPR-1015-64	Wind tight covering faced slab	T4	S	0,033	A2- s1,d0						1	3	- Z(0,10)	T4-DS(70,-) -Z(0,10)
PAROC Cortex One b	0809-CPR-1015-65	Wind tight covering faced slab	T4	S	0,033	A2- s1,d0						1	3	- Z(0,10)	T4-DS(70,-) -Z(0,10)
PAROC COS 10	0809-CPR-1015-66	Uncoated slab	T5	S	0,035	A1	- CS(10) 10					1	3	-MU1	T5-DS(70,-)-CS(10)10- MU1
PAROC COS 10g	0809-CPR-1015-67	Uncoated slab, grooves in one direction	T5	S	0,035	A1	- CS(10) 10					1	3	-MU1	T5-DS(70,-)-CS(10)10- MU1
PAROC COS 10ggt	0809-CPR-1015-68	Glass fibre tissue faced slab, crosswise grooved	T5	S	0,035	F	- CS(10) 10					1	3	- Z(0,12)	T5-DS(70,-)-CS(10)10 - Z(0,12)
PAROC COS 10gt	0809-CPR-1015-69	Glass fibre tissue faced slab, grooves in one direction	T5	S	0,035	F	- CS(10) 10					1	3	- Z(0,12)	T5-DS(70,-)-CS(10)10 - Z(0,12)
PAROC COS 15	0809-CPR-1015-70	Uncoated slab	T5	S	0,036	A1	- CS(10) 15					1	3	-MU1	T5-DS(70,-)-CS(10)15- MU1
PAROC COS 5	0809-CPR-1015-71	Uncoated slab	T5	S	0,035	A1	- CS(10)					1	3	-MU1	T5-DS(70,-)-CS(10)5- MU1

Certificate No 0809-CPR- 1015

27.6.2014

							5								
PAROC COS 5t	0809-CPR-1015-72	Glass fibre tissue faced slab	T5	S	0,035	A1	- CS(10)5					1	3	-MU1	T5-DS(70,-)-CS(10)5-MU1
PAROC COS 5g	0809-CPR-1015-73	Uncoated slab, grooves in one direction	T5	S	0,035	A1	- CS(10)5					1	3	-MU1	T5-DS(70,-)-CS(10)5-MU1
PAROC COS 5ggt	0809-CPR-1015-74	Glass fibre tissue faced slab, crosswise grooved	T5	S	0,035	F	- CS(10)5					1	3	- Z(0,12)	T5-DS(70,-)-CS(10)5 - Z(0,12)
PAROC COS 5gt	0809-CPR-1015-75	Glass fibre tissue faced slab, grooves in one direction	T5	S	0,035	F	- CS(10)5					1	3	- Z(0,12)	T5-DS(70,-)-CS(10)5 - Z(0,12)
PAROC eXtra	0809-CPR-1015-76	Uncoated slab	T2	S	0,036	A1						1	3	-MU1	T2-DS(70,-)-MU1
PAROC eXtra i	0809-CPR-1015-77	Uncoated slab	T2	S	0,036	A1						1	3	-MU1	T2-DS(70,-)-MU1
PAROC eXtra k	0809-CPR-1015-78	Uncoated slab	T2	S	0,036	A1						1	3	-MU1	T2-DS(70,-)-MU1
PAROC eXtra p	0809-CPR-1015-79	Paper faced slab	T2	S	0,036	F						1	3	- Z(0,12)	T2-DS(70,-) -Z(0,12)
PAROC eXtra pf	0809-CPR-1015-80	Paper faced slab	T2	S	0,036	E						1	3	- Z(0,12)	T2-DS(70,-) -Z(0,12)
PAROC eXtra XS	0809-CPR-1015-81	Uncoated compressed slab	T2	S	0,036	A1						1	3	-MU1	T2-DS(70,-)-MU1
PAROC eXtra pro	0809-CPR-1015-82	Uncoated slab	≤ 70mm m = T2, ≥70mm m = T4	S	0,033	A1						1	3	-MU1	≤ 70 mm MW-EN13162-T2-DS(70,-)-WS-WL(P)-MU1 ≥ 70 mm MW-EN13162-T4-DS(70,-)-WS-WL(P)-MU1
PAROC FAB 3(r)	0809-CPR-1015-83	Uncoated slab	T5	S	0,037	A1	- CS(10)50			- TR10		1	3	-MU1	T5-DS(70,90)-CS(10)50-TR10-MU1

Certificate No 0809-CPR- 1015

27.6.2014

PAROC FAL 1	0809-CPR-1015-84	Uncoated lamella	T5	L	0,040	A1		- CS(Y)50		- TR80		1	3	-MU1	T5-DS(70,90)-CS(Y)50-TR80-MU1
PAROC FAL 1c	0809-CPR-1015-85	One side coated lamella	T5	L	0,040	A1		- CS(Y)50		- TR80		1	3	-MU1	T5-DS(70,90)-CS(Y)50-TR80-MU1
PAROC FAL 1cc	0809-CPR-1015-86	Two sides coated lamella	T5	L	0,040	A1		- CS(Y)50		- TR80		1	3	-MU1	T5-DS(70,90)-CS(Y)50-TR80-MU1
PAROC FAO 1	0809-CPR-1015-87	Semi-finished product for industrial use	T5	L	0,040	A1		- CS(Y)50		- TR80		1	3	-MU1	T5-DS(70,90)-CS(Y)50-TR80-MU1
PAROC FAS 1(r)	0809-CPR-1015-88	Uncoated slab	T5	S	0,035	A1	- CS(10)5					1	3	-MU1	T5-DS(70,90)-CS(10)5-MU1
PAROC FAS 1rl (r)	0809-CPR-1015-89	Uncoated slab	T5	S	0,033	A1	- CS(10)5					1	3	-MU1	T5-DS(70,90)-CS(10)5-MU1
PAROC FAS 2(r)	0809-CPR-1015-90	Uncoated slab	T5	S	0,035	A1	- CS(10)15					1	3	-MU1	T5-DS(70,90)-CS(10)15-MU1
PAROC FAS 2cc	0809-CPR-1015-91	Two sides coated slab	T5	S	0,035	A1	- CS(10)15					1	3	-MU1	T5-DS(70,90)-CS(10)15-MU1
PAROC FAS 3(r)	0809-CPR-1015-92	Uncoated slab	T5	S	0,037	A1	- CS(10)30			- TR10		1	3	-MU1	T5-DS(70,90)-CS(10)30-TR10-MU1
PAROC FAS 3c	0809-CPR-1015-93	One side coated slab	T5	S	0,037	A1	- CS(10)30			- TR10		1	3	-MU1	T5-DS(70,90)-CS(10)30-TR10-MU1

Certificate No 0809-CPR- 1015

27.6.2014

PAROC FAS 3cc	0809-CPR-1015-94	Two sides coated slab	T5	S	0,037	A1	- CS(10) 30			- TR10		1	3	-MU1	T5-DS(70,90)-CS(10)30-TR10-MU1
PAROC FAS 4(r)	0809-CPR-1015-95	Uncoated slab	T5	S	0,038	A1	- CS(10) 40			- TR15		1	3	-MU1	T5-DS(70,90)-CS(10)40-TR15-MU1
PAROC FAS 4c	0809-CPR-1015-96	One side coated slab	T5	S	0,038	A1	- CS(10) 40			- TR15		1	3	-MU1	T5-DS(70,90)-CS(10)40-TR15-MU1
PAROC FAS 4cc	0809-CPR-1015-97	Two sides coated slab	T5	S	0,038	A1	- CS(10) 40			- TR15		1	3	-MU1	T5-DS(70,90)-CS(10)40-TR15-MU1
PAROC FAS B	0809-CPR-1015-98	Uncoated slab	T5	S	0,036	A1	- CS(10) 20			- TR10		1	3	-MU1	T5-DS(70,90)-CS(10)20-TR10-MU1
PAROC Fatio Plus	0809-CPR-1015-99	Uncoated slab	T5	S	0,033	A1	- CS(10) 5					1	3	-MU1	T5-DS(70,90)-CS(10)5-MU1
PAROC Fatio	0809-CPR-1015-100	Uncoated slab	T5	S	0,035	A1	- CS(10) 10			-TR5		1	3	-MU1	T5-DS(70,90)-CS(10)10-TR5-MU1
PAROC FPB 10	0809-CPR-1015-101	Uncoated slab	T5	S	0,035	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC FPS 10	0809-CPR-1015-102	Uncoated slab	T5	S	0,035	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC FPS 10a	0809-CPR-1015-103	Aluminium faced slab	T5	S	0,035	A1						1	3	- Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC FPS 10ta	0809-CPR-1015-104	Aluminium and Glass fibre tissue faced slab	T5	S	0,035	A1						1	3	- Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC FPS 10tta	0809-CPR-1015-105	Aluminium and Glass fibre tissue faced slab, tissue also in the backside	T5	S	0,035	A1						1	3	- Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC FPS 14	0809-CPR-1015-106	Uncoated slab	T5	S	0,037	A1						1	3	-MU1	T5-DS(70,-)-MU1

Certificate No 0809-CPR- 1015

27.6.2014

PAROC FPS 14t	0809-CPR-1015-107	Glass fiber tissue facade slab	T5	S	0,037	A1					1	3	-MU1	T5-DS(70,-)-MU1
PAROC FPS 16	0809-CPR-1015-108	Uncoated slab	T5	S	0,038	A1					1	3	-MU1	T5-DS(70,-)-MU1
PAROC FPS 16r	0809-CPR-1015-109	Uncoated slab	T5	S	0,038	A1					1	3	-MU1	T5-DS(70,-)-MU1
PAROC FPS 17	0809-CPR-1015-110	Uncoated slab	T5	S	0,038	A1					1	3	-MU1	T5-DS(70,-)-MU1
PAROC FPS 17a	0809-CPR-1015-111	Aluminium faced slab	T5	S	0,038	A1					1	3	-Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC FPS 17t	0809-CPR-1015-112	Glass fiber tissue facade slab	T5	S	0,038	A1					1	3	-MU1	T5-DS(70,-)-MU1
PAROC FPS 17ta	0809-CPR-1015-113	Aluminium and Glass fibre tissue faced slab	T5	S	0,038	A1					1	3	-Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC FPS 17tta	0809-CPR-1015-114	Aluminium and Glass fibre tissue faced slab, tissue also in the backside	T5	S	0,038	A1					1	3	-Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC FPS 20	0809-CPR-1015-115	Uncoated slab	T5	S	0,041	A1					1	3	-MU1	T5-DS(70,-)-MU1
PAROC FPS 20ta	0809-CPR-1015-116	Aluminium and Glass fibre tissue faced slab	T5	S	0,041	A1					1	3	-Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC FPS 8a	0809-CPR-1015-117	Aluminium faced slab	T5	S	0,034	A1					1	3	-Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC FPY 1	0809-CPR-1015-118	Uncoated slab	T4	S	0,037	A1					1	3	-MU1	T4-DS(70,-)-MU1
PAROC GRS 20	0809-CPR-1015-119	Uncoated slab	T5	S	0,035	A1	-CS(10)20		-PL(5)150		1	3	-MU1	T5-DS(70,-)-CS(10)20-PL(5)150-MU1
PAROC GRS 30	0809-CPR-1015-120	Uncoated slab	T5	S	0,037	A1	-CS(10)30		-PL(5)250		1	3	-MU1	T5-DS(70,-)-CS(10)30-PL(5)250-MU1
PAROC Linio 10	0809-CPR-1015-121	Uncoated slab	T5	S	0,036	A1	-CS(10)20			-TR10	1	3	-MU1	T5-DS(70,90)-CS(10)20-TR10-MU1

Certificate No 0809-CPR- 1015

27.6.2014

PAROC Linio 10c	0809-CPR-1015-122	Uncoated slab	T5	S	0,036	A1	- CS(10) 20			- TR10		1	3	-MU1	T5-DS(70,90)-CS(10)20- TR10-MU1
PAROC Linio 10cc	0809-CPR-1015-123	Uncoated slab	T5	S	0,036	A1	- CS(10) 20			- TR10		1	3	-MU1	T5-DS(70,90)-CS(10)20- TR10-MU1
PAROC Linio 15	0809-CPR-1015-124	Uncoated slab	T5	S	0,037	A1	- CS(10) 30			- TR15		1	3	-MU1	T5-DS(70,90)-CS(10)30- TR15-MU1
PAROC Linio 15c	0809-CPR-1015-125	One side coated slab	T5	S	0,037	A1	- CS(10) 30			- TR15		1	3	-MU1	T5-DS(70,90)-CS(10)30- TR15-MU1
PAROC Linio 15cc	0809-CPR-1015-126	Two sides coated slab	T5	S	0,037	A1	- CS(10) 30			- TR15		1	3	-MU1	T5-DS(70,90)-CS(10)30- TR15-MU1
PAROC Linio 80	0809-CPR-1015-127	Uncoated lamella	T5	L	0,040	A1		- CS(Y)5 0		- TR80		1	3	-MU1	T5-DS(70,90)-CS(Y)50- TR80-MU1
PAROC Linio 80c	0809-CPR-1015-128	One side coated lamella	T5	L	0,040	A1		- CS(Y)5 0		- TR80		1	3	-MU1	T5-DS(70,90)-CS(Y)50- TR80-MU1
PAROC Linio 80cc	0809-CPR-1015-129	Two sides coated lamella	T5	L	0,040	A1		- CS(Y)5 0		- TR80		1	3	-MU1	T5-DS(70,90)-CS(Y)50- TR80-MU1
PAROC NRS 1	0809-CPR-1015-130	Uncoated slab	T4	S	0,036	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC NRS 1t	0809-CPR-1015-131	Glass fiber tissue facedslab	T4	S	0,036	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC NRS 1tb	0809-CPR-1015-132	Glass fiber tissue faced slab (black)	T4	S	0,036	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC NRS 2	0809-CPR-1015-133	Uncoated slab	T5	S	0,035	A1						1	3	-MU1	T5-DS(70,-)-MU1

Certificate No 0809-CPR- 1015

27.6.2014

PAROC NRS 2t	0809-CPR-1015-134	Glass fiber tissue faced slab	T5	S	0,035	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC NRS 2tb	0809-CPR-1015-135	Glass fiber tissue faced slab (black)	T5	S	0,035	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC NRS 3	0809-CPR-1015-136	Uncoated slab	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC NRS 3t	0809-CPR-1015-137	Glass fiber tissue faced slab	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC NRS 3tb	0809-CPR-1015-138	Glass fiber tissue faced slab (black)	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC NRS 4	0809-CPR-1015-139	Uncoated slab	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC NRS 4t	0809-CPR-1015-140	Glass fiber tissue faced slab	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC NRS 4tb	0809-CPR-1015-141	Glass fiber tissue faced slab (black)	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC NRS 5	0809-CPR-1015-142	Uncoated slab	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC NRS 5t	0809-CPR-1015-143	Glass fiber tissue faced slab	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC NRS 5tb	0809-CPR-1015-144	Glass fiber tissue faced slab (black)	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC PreCast	0809-CPR-1015-145	Uncoated slab	T5	S	0,034	A1	- CS(10) 5					1	3	-MU1	T5-DS(70,-)-CS(10)5-MU1
PAROC PreCast ggt	0809-CPR-1015-146	Glass fibre tissue faced slab, crosswise grooved	T5	S	0,034	F	- CS(10) 5					1	3	- Z(0,12)	T5-DS(70,-)-CS(10)5 - Z(0,12)
PAROC PreCast gt	0809-CPR-1015-147	Glass fibre tissue faced slab, grooves in one direction	T5	S	0,034	F	- CS(10) 5					1	3	- Z(0,12)	T5-DS(70,-)-CS(10)5 - Z(0,12)
PAROC Renova n	0809-CPR-1015-148	Tyvek faced slab	T4	S	0,033	F						1	3	- Z(0,10)	T4-DS(70,-) -Z(0,10)
PAROC ROBSTER	0809-CPR-1015-149	Glass fibre tissue faced board, tissue	T5	S	0,036	A1	- CS(10)					1	3	-MU1	T5-DS(70,-)-CS(10)40-MU1

Certificate No 0809-CPR- 1015

27.6.2014

		also in the backside					40								
PAROC ROB 100	0809-CPR-1015-150	Uncoated board	T5	S	0,039	A1	- CS(10) 80		- PL(5)700			1	3	-MU1	T5-DS(70,-)-CS(10)80- PL(5)700-MU1
PAROC ROB 100g	0809-CPR-1015-151	Uncoated slab with grooves	T5	S	0,039	A1	- CS(10) 80		- PL(5)700			1	3	-MU1	T5-DS(70,-)-CS(10)80- PL(5)700-MU1
PAROC ROB 100gt	0809-CPR-1015-152	Glass fibre tissue faced board with grooves	T5	S	0,039	A1	- CS(10) 80		- PL(5)700			1	3	-MU1	T5-DS(70,-)-CS(10)80- PL(5)700-MU1
PAROC ROB 100t	0809-CPR-1015-153	Glass fibre tissue faced board	T5	S	0,039	A1	- CS(10) 80		- PL(5)700			1	3	-MU1	T5-DS(70,-)-CS(10)80- PL(5)700-MU1
PAROC ROB 100rl	0809-CPR-1015-154	Uncoated board	T5	S	0,038	A1	- CS(10) 80		- PL(5)700			1	3	-MU1	T5-DS(70,-)-CS(10)80- PL(5)700-MU1
PAROC ROB 100grl	0809-CPR-1015-155	Uncoated slab with grooves	T5	S	0,038	A1	- CS(10) 80		- PL(5)700			1	3	-MU1	T5-DS(70,-)-CS(10)80- PL(5)700-MU1
PAROC ROB 100gtrl	0809-CPR-1015-156	Glass fibre tissue faced board with grooves	T5	S	0,038	A1	- CS(10) 80		- PL(5)700			1	3	-MU1	T5-DS(70,-)-CS(10)80- PL(5)700-MU1
PAROC ROB 100trl	0809-CPR-1015-157	Glass fibre tissue faced board	T5	S	0,038	A1	- CS(10) 80		- PL(5)700			1	3	-MU1	T5-DS(70,-)-CS(10)80- PL(5)700-MU1
PAROC ROB 40gtj	0809-CPR-1015-158	Glass fibre tissue faced board with grooves	T5	S	0,037	A1	- CS(10) 40		- PL(5)350			1	3	-MU1	T5-DS(70,-)-CS(10)40- PL(5)350-MU1
PAROC ROB 50	0809-CPR-1015-159	Uncoated board	T5	S	0,037	A1	- CS(10) 50		- PL(5)500			1	3	-MU1	T5-DS(70,-)-CS(10)50- PL(5)500-MU1
PAROC ROB 50gtj	0809-CPR-1015-160	Uncoated board	T5	S	0,037	A1	- CS(10)		- PL(5)500			1	3	-MU1	T5-DS(70,-)-CS(10)50- PL(5)500-MU1

Certificate No 0809-CPR- 1015

27.6.2014

							50								
PAROC ROB 50t (j)	0809-CPR-1015-161	Glass fibre tissue faced board	T5	S	0,037	A1	- CS(10) 50		- PL(5)500			1	3	-MU1	T5-DS(70,-)-CS(10)50-PL(5)500-MU1
PAROC ROB 60	0809-CPR-1015-162	Uncoated board	T5	S	0,038	A1	- CS(10) 60		- PL(5)600			1	3	-MU1	T5-DS(70,-)-CS(10)60-PL(5)600-MU1
PAROC ROB 60gt	0809-CPR-1015-163	Glass fibre tissue faced board with grooves	T5	S	0,038	A1	- CS(10) 60		- PL(5)600			1	3	-MU1	T5-DS(70,-)-CS(10)60-PL(5)600-MU1
PAROC ROB 60t	0809-CPR-1015-164	Glass fibre tissue faced board	T5	S	0,038	A1	- CS(10) 60		- PL(5)600			1	3	-MU1	T5-DS(70,-)-CS(10)60-PL(5)600-MU1
PAROC ROB 60tb	0809-CPR-1015-165	Glass fibre tissue faced board (black)	T5	S	0,038	A1	- CS(10) 60		- PL(5)600			1	3	-MU1	T5-DS(70,-)-CS(10)60-PL(5)600-MU1
PAROC ROB 60tj	0809-CPR-1015-166	Glass fibre tissue faced board	T5	S	0,038	A1	- CS(10) 60		- PL(5)600			1	3	-MU1	T5-DS(70,-)-CS(10)60-PL(5)600-MU1
PAROC ROB 80	0809-CPR-1015-167	Uncoated board	T5	S	0,038	A1	- CS(10) 80		- PL(5)700			1	3	-MU1	T5-DS(70,-)-CS(10)80-PL(5)700-MU1
PAROC ROB 80t	0809-CPR-1015-168	Glass fibre tissue faced board	T5	S	0,038	A1	- CS(10) 80		- PL(5)700			1	3	-MU1	T5-DS(70,-)-CS(10)80-PL(5)700-MU1
PAROC ROB 80v	0809-CPR-1015-169	Offline cutted uncoated stripe	T5	S	0,038	A1	- CS(10) 80		- PL(5)700			1	3	-MU1	T5-DS(70,-)-CS(10)80-PL(5)700-MU1
PAROC ROL 30	0809-CPR-1015-170	Uncoated lamella	T5	L	0,038	A1	- CS(10) 30					1	3	-MU1	T5-DS(70,-)-CS(10)30-MU1
PAROC ROL 60	0809-CPR-1015-171	Uncoated lamella	T5	L	0,039	A1	- CS(10)					1	3	-MU1	T5-DS(70,-)-CS(10)60-MU1

Certificate No 0809-CPR- 1015

27.6.2014

							60								
PAROC RoofOne	0809-CPR-1015-172	Uncoated slab	T5	S	0,037	A1	- CS(10) 40	- PL(5)450				1	3	-MU1	T5-DS(70,-)-CS(10)40- PL(5)450-MU1
PAROC ROS 20	0809-CPR-1015-173	Uncoated slab	T5	S	0,035	A1	- CS(10) 20	- PL(5)150				1	3	-MU1	T5-DS(70,-)-CS(10)20- PL(5)150-MU1
PAROC ROS 20t	0809-CPR-1015-174	Glass fibre tissue faced slab	T5	S	0,035	A1	- CS(10) 20	- PL(5)150				1	3	-MU1	T5-DS(70,-)-CS(10)20- PL(5)150-MU1
PAROC ROS 30	0809-CPR-1015-175	Uncoated slab	T5	S	0,036	A1	- CS(10) 30	- PL(5)250				1	3	-MU1	T5-DS(70,-)-CS(10)30- PL(5)250-MU1
PAROC ROS 30g	0809-CPR-1015-176	Uncoated slab with grooves	T5	S	0,036	A1	- CS(10) 30	- PL(5)250				1	3	-MU1	T5-DS(70,-)-CS(10)30- PL(5)250-MU1
PAROC ROS 30gt	0809-CPR-1015-177	Glass fibre tissue faced slab with grooves	T5	S	0,036	A1	- CS(10) 30	- PL(5)250				1	3	-MU1	T5-DS(70,-)-CS(10)30- PL(5)250-MU1
PAROC ROS 30t	0809-CPR-1015-178	Glass fibre tissue faced slab	T5	S	0,036	A1	- CS(10) 30	- PL(5)250				1	3	-MU1	T5-DS(70,-)-CS(10)30- PL(5)250-MU1
PAROC ROS 40	0809-CPR-1015-179	Uncoated slab	T5	S	0,037	A1	- CS(10) 40	- PL(5)350				1	3	-MU1	T5-DS(70,-)-CS(10)40- PL(5)350-MU1
PAROC ROS 40g	0809-CPR-1015-180	Uncoated slab with grooves	T5	S	0,037	A1	- CS(10) 40	- PL(5)350				1	3	-MU1	T5-DS(70,-)-CS(10)40- PL(5)350-MU1
PAROC ROS 40gt	0809-CPR-1015-181	Glass fibre tissue faced slab with grooves	T5	S	0,037	A1	- CS(10) 40	- PL(5)350				1	3	-MU1	T5-DS(70,-)-CS(10)40- PL(5)350-MU1
PAROC ROS 50	0809-CPR-1015-182	Uncoated slab	T5	S	0,038	A1	- CS(10)	- PL(5)450				1	3	-MU1	T5-DS(70,-)-CS(10)50- PL(5)450-MU1

Certificate No 0809-CPR- 1015

27.6.2014

							50								
PAROC ROS 50g	0809-CPR-1015-183	Uncoated slab with grooves	T5	S	0,038	A1	- CS(10) 50		- PL(5)450			1	3	-MU1	T5-DS(70,-)-CS(10)50-PL(5)450-MU1
PAROC ROS 50t	0809-CPR-1015-184	Glass fibre tissue faced slab	T5	S	0,038	A1	- CS(10) 50		- PL(5)450			1	3	-MU1	T5-DS(70,-)-CS(10)50-PL(5)450-MU1
PAROC ROS 60	0809-CPR-1015-185	Uncoated slab	T5	S	0,039	A1	- CS(10) 60		- PL(5)550			1	3	-MU1	T5-DS(70,-)-CS(10)60-PL(5)550-MU1
PAROC ROS 60t	0809-CPR-1015-186	Glass fibre tissue faced slab	T5	S	0,039	A1	- CS(10) 60		- PL(5)550			1	3	-MU1	T5-DS(70,-)-CS(10)60-PL(5)550-MU1
PAROC ROS 70	0809-CPR-1015-187	Uncoated slab	T5	S	0,039	A1	- CS(10) 70		- PL(5)650			1	3	-MU1	T5-DS(70,-)-CS(10)70-PL(5)650-MU1
PAROC ROS 80	0809-CPR-1015-188	Uncoated slab	T5	S	0,039	A1	- CS(10) 80		- PL(5)700			1	3	-MU1	T5-DS(70,-)-CS(10)80-PL(5)700-MU1
PAROC ROS 80t	0809-CPR-1015-189	Glass fibre tissue faced slab	T5	S	0,039	A1	- CS(10) 80		- PL(5)700			1	3	-MU1	T5-DS(70,-)-CS(10)80-PL(5)700-MU1
PAROC ROU 40 1,2,3	0809-CPR-1015-190	Cut to fall slab	T4	S	0,037	A1	- CS(10) 40					1	3	-MU1	T4-DS(70,-)-CS(10)40-MU1
PAROC ROU 40 4	0809-CPR-1015-191	Cut to fall slab	T4	S	0,037	A1	- CS(10) 40					1	3	-MU1	T4-DS(70,-)-CS(10)40-MU1
PAROC ROU 40 5	0809-CPR-1015-192	Cut to fall slab	T4	S	0,037	A1	- CS(10) 40					1	3	-MU1	T4-DS(70,-)-CS(10)40-MU1
PAROC ROU 60 1,2,3,4,5	0809-CPR-1015-193	Cut to fall slab	T4	S	0,038	A1	- CS(10)					1	3	-MU1	T4-DS(70,-)-CS(10)60-MU1

Certificate No 0809-CPR- 1015

27.6.2014

							60								
PAROC ROV 60 1	0809-CPR-1015-194	Outlet slab	T5	S	0,038	A1	- CS(10) 60					1	3	-MU1	T5-DS(70,-)-CS(10)60-MU1
PAROC ROV 60 2	0809-CPR-1015-195	Outlet slab	T5	S	0,038	A1	- CS(10) 60					1	3	-MU1	T5-DS(70,-)-CS(10)60-MU1
PAROC ROV 60 3	0809-CPR-1015-196	Outlet slab	T5	S	0,038	A1	- CS(10) 60					1	3	-MU1	T5-DS(70,-)-CS(10)60-MU1
PAROC ROX 1	0809-CPR-1015-197	Leg (WAS 50)	T4	S	0,037	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC ROX 2	0809-CPR-1015-198	Leg (COS 15)	T5	S	0,036	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC SES 11la	0809-CPR-1015-199	Uncoated slab, cut across line direction	T5	L	0,041	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC SES 11ld	0809-CPR-1015-200	Uncoated slab, cut along line direction	T5	L	0,045	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC SES 15la	0809-CPR-1015-201	Uncoated slab, cut across line direction	T5	L	0,041	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC SES 15ld	0809-CPR-1015-202	Uncoated slab, cut along line direction	T5	L	0,045	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC SES 18la	0809-CPR-1015-203	Uncoated slab, cut across line direction	T5	L	0,050	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC SES 18ld	0809-CPR-1015-204	Uncoated slab, cut along line direction	T5	L	0,050	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC SES 8	0809-CPR-1015-205	Uncoated slab, cut along line direction	T5	L	0,041	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC SoloRoof	0809-CPR-1015-206	Uncoated slab	T5	S	0,038	A1	- CS(10) 60		- PL(5)550			1	3	-MU1	T5-DS(70,-)-CS(10)60- PL(5)550-MU1
PAROC SSB 1	0809-CPR-1015-207	Uncoated slab	T5	S	0,035	A1	- CS(10) 15					1	3	-MU1	T5-DS(70,-)-CS(10)15-MU1

Certificate No 0809-CPR- 1015

27.6.2014

PAROC SSB 2t (j)	0809-CPR-1015-208	Glass fibre tissue faced board	T5	S	0,037	A1	- CS(10) 40					1	3	-MU1	T5-DS(70,-)-CS(10)40-MU1
PAROC UNM 37	0809-CPR-1015-209	Uncoated mat	T4	S	0,037	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC UNM 37p	0809-CPR-1015-210	Paper faced mat	T4	S	0,037	F						1	3	- Z(0,12)	T4-DS(70,-) -Z(0,12)
PAROC UNM 37pz	0809-CPR-1015-211	Paper faced compressed mat	T2	S	0,037	F						1	3	- Z(0,12)	T2-DS(70,-) -Z(0,12)
PAROC UNM 37z	0809-CPR-1015-212	Compressed mat	T2	S	0,037	A1						1	3	-MU1	T2-DS(70,-)-MU1
PAROC UNS 34, PAROC eXtra plus	0809-CPR-1015-213	Uncoated slab	T4	S	0,034	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC UNS 34t, PAROC eXtra plus t	0809-CPR-1015-214	Glass fibre tissue faced slab	T4	S	0,034	A1						1	3	-MU1	MW-EN13162-T4-DS(70,-)-WS-WL(P)-MU1
PAROC UNS 35(k)	0809-CPR-1015-215	Uncoated slab	T4	S	0,035	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC UNS 35t	0809-CPR-1015-216	Glass fibre tissue faced slab	T4	S	0,035	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC UNS 37	0809-CPR-1015-217	Uncoated slab	T4	S	0,037	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC UNS 37p	0809-CPR-1015-218	Paper faced slab	T4	S	0,037	F						1	3	- Z(0,12)	T4-DS(70,-) -Z(0,12)
PAROC UNS 37pfz	0809-CPR-1015-219	Paper faced, compressed slab	T2	S	0,037	E						1	3	- Z(0,12)	T2-DS(70,-) -Z(0,12)
PAROC UNS 37pz	0809-CPR-1015-220	Paper faced, compressed slab	T2	S	0,037	F						1	3	- Z(0,12)	T2-DS(70,-) -Z(0,12)
PAROC UNS 37z	0809-CPR-1015-221	Compressed slab	T2	S	0,037	A1						1	3	-MU1	T2-DS(70,-)-MU1
PAROC UNS 39	0809-CPR-1015-222	Uncoated slab	T4	S	0,039	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC UNS 39z	0809-CPR-1015-223	Compressed slab	T2	S	0,039	A1						1	3	-MU1	T2-DS(70,-)-MU1
PAROC WAB 10t	0809-CPR-1015-224	Glass fibre tissue faced board	T5	S	0,036	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC WAB 10tr	0809-CPR-1015-225	Glass fibre tissue faced board	T5	S	0,036	A1						1	3	-MU1	T5-DS(70,-)-MU1

Certificate No 0809-CPR- 1015

27.6.2014

PAROC WAB 10ttp	0809-CPR-1015-226	Glass fibre tissue and paper faced board	T5	S	0,036	F						1	3	- Z(0,10)	T5-DS(70,-) -Z(0,10)
PAROC WAS 25	0809-CPR-1015-227	Uncoated slab	T5	S	0,033	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC WAS 25a	0809-CPR-1015-228	Aluminium faced slab	T5	S	0,033	A1						1	3	- Z(6,00)	T5-DS(70,-) -Z(6,00)
PAROC WAS 25t (j)	0809-CPR-1015-229	Glass fibre tissue faced slab	T5	S	0,033	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC WAS 25tb	0809-CPR-1015-230	Glass fibre tissue faced slab (black)	T5	S	0,033	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC WAS 35	0809-CPR-1015-231	Uncoated slab	T5	S	0,033	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC WAS 35t	0809-CPR-1015-232	Glass fibre tissue faced slab	T5	S	0,033	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC WAS 35tb	0809-CPR-1015-233	Glass fibre tissue faced slab (black)	T5	S	0,033	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC WAS 35tt	0809-CPR-1015-234	Both sides faced with glass fibre tissue	T5	S	0,033	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC WAS 45	0809-CPR-1015-235	Uncoated slab	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC WAS 45t	0809-CPR-1015-236	Glass fibre tissue faced slab	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC WAS 45tb	0809-CPR-1015-237	Glass fibre tissue faced slab (black)	T5	S	0,034	A1						1	3	-MU1	T5-DS(70,-)-MU1
PAROC WAS 50	0809-CPR-1015-238	Uncoated slab	T4	S	0,034	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC WAS 50t	0809-CPR-1015-239	Glass fibre tissue faced slab	T4	S	0,034	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC WAS 50tb	0809-CPR-1015-240	Glass fibre tissue faced slab (black)	T4	S	0,034	A1						1	3	-MU1	T4-DS(70,-)-MU1
PAROC WPB 3n **	0809-CPR-1015-241	Tyvek faced slab	T5	S	0,034	** F or A2-s1,d0						1	3	- Z(0,10)	T5-DS(70,-) -Z(0,10)

Certificate No 0809-CPR- 1015

27.6.2014

PAROC WPB 3ntj **	0809-CPR-1015-242	Tyvek faced slab	T5	S	0,034	** F or A2- s1,d0						1	3	- Z(0,10)	T5-DS(70,-) -Z(0,10)
PAROC WPS 1n	0809-CPR-1015-243	Tyvek faced slab	T4	S	0,036	F						1	3	- Z(0,10)	T4-DS(70,-) -Z(0,10)
PAROC WPS 3n** (j)	0809-CPR-1015-244	Tyvek faced slab	T5	S	0,032	** F or A2- s1,d0						1	3	- Z(0,10)	T5-DS(70,-) -Z(0,10)
PAROC WPS 3nt** (j)	0809-CPR-1015-245	Tyvek and glass fiber tissue faced slab	T5	S	0,032	** F or A2- s1,d0						1	3	- Z(0,10)	T5-DS(70,-) -Z(0,10)

Products can be delivered with grooves intended for ventilation (identified with an external "g" in the product name) and with tongue and groove joints (identified with an extension "j" in the product name).

CGL products can be delivered with one side (c) or both sides coated (cc). Edges of the lamellas can be straight or cutted (additional "y" in the product name).

Products with natural glass fibre tissue (t), can also be delivered with black glass fiber tissue (tb) with same properties

Certificate No 0809-CPR- 1015

27.6.2014

Product name	Production lines														
	FIL3	FIL10	FIP5	FIP11	FIO6	SEHK14	SEHK15	SEHm12	LT1	LT2	PL3	PL4	PL5	PL CL1	
**	X= Product is certified for this line														
Absorptiolevy				X											
PAROC BS 100												X	X		
PAROC BS 100a												X	X		
PAROC BS 100t, tb												X	X		
PAROC BS 120												X			
PAROC BS 120a												X			
PAROC BS 120t, tb												X			
PAROC BS 150												X			
PAROC BS 150a												X			
PAROC BS 150t, tb												X			
PAROC BS 40												X			
PAROC BS 40a												X			
PAROC BS 40p												X			
PAROC BS 40t, tb												X			
PAROC BS 50												X			
PAROC BS 50a												X			

Certificate No 0809-CPR- 1015

27.6.2014

PAROC BS 50p												X			
PAROC BS 50t, tb												X			
PAROC BS 70												X			
PAROC BS 70a												X			
PAROC BS 70p												X			
PAROC BS 70t, tb												X			
PAROC BS 80												X			
PAROC BS 80a												X			
PAROC BS 80t, tb												X			
PAROC CEL 100C		X	X	X	X	X		X	X	X		X	X		
PAROC CEL 35C		X	X	X	X	X			X	X	X	X	X		
PAROC CEL 40CS50		X	X	X	X	X			X	X	X	X	X		
PAROC CEL 50C			X	X	X	X			X	X		X	X		
PAROC CEL 50C41		X		X	X	X		X	X	X		X	X		
PAROC CEL 50CS100		X	X	X	X					X		X	X		
PAROC CEL 50CS100rl												X	X		
PAROC CEL 50CS75													X		
PAROC CEL 50F		X	X	X	X	X		X	X	X		X	X		
PAROC CEL 60CS100		X		X	X	X		X	X	X		X	X		
PAROC CEL 75F		X	X	X	X	X		X	X	X		X	X		
PAROC CEL 90CS150		X	X	X	X	X		X	X	X		X	X		
PAROC CES 100C		X	X	X	X	X		X	X	X		X	X		
PAROC CES 35C		X	X	X	X	X			X	X	X	X	X		
PAROC CES 40CS50		X	X	X	X	X			X	X	X	X	X		
PAROC CES 50C			X	X	X	X			X	X		X	X		
PAROC CES 50C41		X		X	X	X		X	X	X		X	X		
PAROC CES 50CS100		X	X	X	X					X		X	X		
PAROC CES 50CS100rl												X	X		

Certificate No 0809-CPR- 1015

27.6.2014

PAROC CES 50CS75													X		
PAROC CES 50F		X	X	X	X	X		X	X	X		X	X		
PAROC CES 60CS100		X		X	X	X		X	X	X		X	X		
PAROC CES 75F		X	X	X	X	X		X	X	X		X	X		
PAROC CES 90CS150		X	X	X	X	X		X	X	X		X	X		
PAROC CGL 20					X							X	X		
PAROC CGL 20cc														X	
PAROC CGL 20cy														X	
PAROC CGL 20cyc														X	
PAROC CGL 20y														X	
PAROC CGL 20yc														X	
PAROC CGL 80		X		X	X	X		X	X	X		X	X		
PAROC CGS 1t												X			
PAROC COL 40					X										
PAROC COL 40g					X										
PAROC COL 40gg					X										
PAROC Cortex			X			X						X			
PAROC Cortex b			X			X						X			
PAROC Cortex One			X			X						X			
PAROC Cortex One b			X			X						X			
PAROC COS 10		X	X	X	X	X		X				X			
PAROC COS 10g		X	X	X	X										
PAROC COS 10ggt		X		X	X										
PAROC COS 10gt		X	X	X	X										
PAROC COS 15		X	X	X	X	X		X				X			
PAROC COS 5		X	X	X	X	X		X	X			X			
PAROC COS 5t		X	X	X	X	X		X	X			X			
PAROC COS 5g		X	X	X	X				X						

Certificate No 0809-CPR- 1015

27.6.2014

PAROC COS 5ggt		X		X	X										
PAROC COS 5gt		X	X	X	X										
PAROC eXtra	X		X	X	X	X	X	X	X	X					
PAROC eXtra i								X							
PAROC eXtra k	X		X	X	X		X		X	X					
PAROC eXtra p	X			X	X		X		X	X					
PAROC eXtra pf							X								
PAROC eXtra XS	X		X	X	X										
PAROC eXtra pro			X	X	X		X								
PAROC FAB 3(r)		X		X		X		X				X			
PAROC FAL 1					X				X	X		X	X		
PAROC FAL 1c														X	
PAROC FAL 1cc														X	
PAROC FAO 1										X		X	X		
PAROC FAS 1(r)		X		X											
PAROC FAS 1rl (r)		X		X											
PAROC FAS 2(r)								X				X			
PAROC FAS 2c														X	
PAROC FAS 2cc														X	
PAROC FAS 3(r)		X		X		X		X	X			X	X		
PAROC FAS 3c														X	
PAROC FAS 3cc														X	
PAROC FAS 4(r)		X		X				X	X			X			
PAROC FAS 4c														X	
PAROC FAS 4cc														X	
PAROC FAS B						X		X	X			X	X		
PAROC Fatio Plus		X		X											

Certificate No 0809-CPR- 1015

27.6.2014

PAROC Fatio		X		X		X		X							
PAROC FPB 10		X	X	X	X	X		X	X	X		X			
PAROC FPS 10		X	X	X	X	X		X	X	X		X			
PAROC FPS 10a		X	X	X		X				X		X			
PAROC FPS 10ta		X	X	X		X				X		X			
PAROC FPS 10tta		X	X	X		X				X		X			
PAROC FPS 14		X	X	X	X	X		X	X	X		X	X		
PAROC FPS 14t		X	X	X	X	X		X	X	X		X	X		
PAROC FPS 16		X	X	X	X	X		X	X	X		X	X		
PAROC FPS 17		X		X		X				X		X	X		
PAROC FPS 17a		X	X	X	X	X				X		X	X		
PAROC FPS 17t		X	X	X	X	X				X		X	X		
PAROC FPS 17ta		X	X	X	X	X				X		X	X		
PAROC FPS 17tta		X	X	X	X	X				X		X	X		
PAROC FPS 20		X		X	X	X		X	X	X		X	X		
PAROC FPS 20ta		X		X	X	X				X		X	X		
PAROC FPS 8a		X	X	X		X				X		X			
PAROC FPY 1							X								
PAROC GRS 20		X							X			X			
PAROC GRS 30		X	X	X	X	X		X							
PAROC Linio 10						X		X	X			X	X		
PAROC Linio 10c														X	
PAROC Linio 10cc														X	
PAROC Linio 15				X				X	X			X			
PAROC Linio 15c														X	
PAROC Linio 15cc														X	
PAROC Linio 80					X				X	X		X	X		
PAROC Linio 80c														X	

Certificate No 0809-CPR- 1015

27.6.2014

PAROC Linio 80cc														X	
PAROC NRS 1		X	X	X	X	X		X	X	X		X	X		
PAROC NRS 1t		X	X	X	X	X		X	X	X		X	X		
PAROC NRS 1tb		X	X	X	X	X		X	X	X		X	X		
PAROC NRS 2		X	X	X	X	X		X	X	X		X			
PAROC NRS 2t		X	X	X	X	X		X	X	X		X			
PAROC NRS 2tb		X	X	X	X	X		X	X	X		X			
PAROC NRS 3		X	X	X	X	X	X	X	X	X	X	X			
PAROC NRS 3t		X	X	X	X	X	X	X	X	X	X	X			
PAROC NRS 3tb		X	X	X	X	X	X	X	X	X	X	X			
PAROC NRS 4		X	X	X	X	X	X	X	X	X	X	X			
PAROC NRS 4t		X	X	X	X	X	X	X	X	X	X	X			
PAROC NRS 4tb		X	X	X	X	X	X	X	X	X	X	X			
PAROC NRS 5		X	X	X	X	X	X	X	X	X	X	X			
PAROC NRS 5t		X	X	X	X	X	X	X	X	X	X	X			
PAROC NRS 5tb		X	X	X	X	X	X	X	X	X	X	X			
PAROC PreCast		X	X	X	X										
PAROC PreCast ggt		X	X	X	X										
PAROC PreCast gt		X	X	X	X										
PAROC Renova n			X												
PAROC Robster			X		X	X		X				X			
PAROC ROB 100			X	X		X		X		X		X	X		
PAROC ROB 100g			X	X		X		X		X		X	X		
PAROC ROB 100gt			X	X		X		X		X		X	X		
PAROC ROB 100t			X	X		X		X		X		X	X		
PAROC ROB 100rl			X	X											
PAROC ROB 100grl			X	X											
PAROC ROB 100gtrl			X	X											

Certificate No 0809-CPR- 1015

27.6.2014

PAROC ROB 100trl			X	X										
PAROC ROB 40gtj			X											
PAROC ROB 50		X	X	X					X	X		X		
PAROC ROB 50gtj			X											
PAROC ROB 50t (j)		X	X	X					X	X				
PAROC ROB 60		X	X	X	X	X		X	X	X		X	X	
PAROC ROB 60gt		X		X	X			X	X					
PAROC ROB 60t		X	X	X	X	X		X	X	X		X	X	
PAROC ROB 60tb					X							X		
PAROC ROB 60tj			X											
PAROC ROB 80			X	X		X		X		X		X	X	
PAROC ROB 80t			X	X		X		X		X		X	X	
PAROC ROB 80v						X								
PAROC ROL 30		X	X	X	X	X		X	X	X		X	X	
PAROC ROL 60		X	X	X	X	X		X	X	X		X	X	
PAROC RoofOne													X	
PAROC ROS 20						X		X						
PAROC ROS 20t						X		X						
PAROC ROS 30		X	X	X	X	X		X	X	X		X	X	
PAROC ROS 30g		X	X	X	X			X	X					
PAROC ROS 30gt		X	X	X	X				X					
PAROC ROS 30t		X	X	X	X	X		X	X	X		X	X	
PAROC ROS 40		X	X	X	X	X		X	X	X		X	X	
PAROC ROS 40g		X	X	X	X			X	X	X				
PAROC ROS 40gt		X	X	X	X				X					
PAROC ROS 50		X	X	X	X	X		X	X	X		X	X	
PAROC ROS 50g		X	X	X	X	X		X	X	X		X	X	
PAROC ROS 50t		X	X	X	X	X		X	X	X		X	X	

Certificate No 0809-CPR- 1015

27.6.2014

PAROC ROS 60		X	X	X	X	X		X	X	X		X	X		
PAROC ROS 60t		X	X	X	X	X		X	X	X		X	X		
PAROC ROS 70		X						X				X	X		
PAROC ROS 80				X		X		X		X					
PAROC ROS 80t				X		X		X		X					
PAROC ROU 40 1,2,3			X	X		X									
PAROC ROU 40 4			X	X		X									
PAROC ROU 40 5			X	X		X									
PAROC ROU 60 1,2,3,4,5						X									
PAROC ROV 60 1						X									
PAROC ROV 60 2						X									
PAROC ROV 60 3						X									
PAROC ROX 1						X	X								
PAROC ROX 2						X									
PAROC SES 11la		X		X	X	X		X	X	X		X	X		
PAROC SES 11ld		X	X	X	X	X		X	X	X		X	X		
PAROC SES 15la		X		X	X	X		X	X	X		X	X		
PAROC SES 15ld		X	X	X	X	X		X	X	X		X	X		
PAROC SES 18la					X	X		X							
PAROC SES 18ld					X	X		X							
PAROC SES 8		X		X	X	X		X	X	X		X	X		
PAROC SoloRoof												X	X		
PAROC SSB 1			X	X		X			X	X		X			
PAROC SSB 2t (j)			X	X		X				X					
PAROC UNM 37	X														
PAROC UNM 37p	X											X			
PAROC UNM 37pz	X						X								
PAROC UNM 37z	X						X								

Certificate No 0809-CPR- 1015

27.6.2014

PAROC UNS 34, PAROC eXtra plus			X	X	X	X	X	X	X	X	X	X			
PAROC UNS 34t, PAROC eXtra plus t						X	X								
PAROC UNS 35(k)	X		X	X	X	X		X	X	X		X			
PAROC UNS 35t	X					X									
PAROC UNS 37	X		X	X	X	X	X	X	X	X		X	X		
PAROC UNS 37p	X		X	X	X		X					X			
PAROC UNS 37pfz							X								
PAROC UNS 37pz	X		X	X	X		X								
PAROC UNS 37z	X		X	X	X	X	X	X	X	X		X	X		
PAROC UNS 39				X	X		X	X	X		X	X			
PAROC UNS 39z				X	X	X	X	X	X		X	X			
PAROC WAB 10t		X	X	X	X	X		X	X	X		X	X		
PAROC WAB 10ttp						X									
PAROC WAS 25		X	X	X	X	X			X	X		X			
PAROC WAS 25a		X	X	X	X	X				X		X			
PAROC WAS 25t (j)		X	X	X	X	X			X	X		X			
PAROC WAS 25tb		X	X	X	X	X			X	X		X			
PAROC WAS 35		X	X	X	X	X			X	X		X			
PAROC WAS 35t		X	X	X	X	X			X	X		X			
PAROC WAS 35tb		X	X	X	X	X			X	X		X			
PAROC WAS 35tt						X									
PAROC WAS 45		X	X	X	X	X	X	X	X	X	X	X			
PAROC WAS 45t		X	X	X	X	X	X	X	X	X	X	X			
PAROC WAS 45tb		X	X	X	X	X	X	X	X	X	X	X			
PAROC WAS 50		X	X	X	X	X	X	X	X	X	X	X			
PAROC WAS 50t		X	X	X	X	X	X	X	X	X	X	X			

Certificate No 0809-CPR- 1015

27.6.2014

PAROC WAS 50tb		X	X	X	X	X	X	X	X	X	X	X			
PAROC WPB 3n **		X	X												
PAROC WPB 3ntj **		X	X												
PAROC WPS 1n			X	X	X										
PAROC WPS 3n** (j)			X												
PAROC WPS 3nt** (j)			X												