



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.
Technical and Test Institute for Construction Prague, SOE
Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Oznámený subjekt, Subjekt pro technické posuzování, Certifikační orgán, Inspekční orgán / Accredited Testing Laboratory, Authorized Body, Notified Body, Technical Assessment Body, Certification Body, Inspection Body. Prosecká 811/76a, 190 00 Praha 9 - Prosek, Czech Republic

Notified Body 1020

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

No. 1020 – CPR – 010023251

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Plastic system chimney RICOM gas

Technical specification:

EN 14471:2013+A1:2015

Subject of the certificate: System chimney with rigid or flexible flue liners from polypropylene (PP or PPs). It allows the assembly of single wall chimneys, multi-wall chimneys and concentric chimneys. The product is intended for negative pressure chimneys (N1), positive pressure chimneys (P1) or high positive pressure chimneys (H1) for temperature class T 120 and condensate resistance class W1

placed on the market under the name or trade mark of

RICOM gas s.r.o.

Na Bělidle 1135, 46006 Liberec VI, Czech Republic, IČO 25414852

and produced in the manufacturing plants

RICOM gas s.r.o., Cvikov, Czech Republic

AGRU Kunststofftechnik GmbH, Bad Hall, Austria

HULIOT d.o.o., Horjul, Slovenia

SIT S.p.a., Montecassiano, Italy

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 14471:2013+A1:2015

under system 2+ are applied and that

the factory production control is assessed to be in conformity with the applicable requirements.

This certificate was first issued on 08.08. 2008 under CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

The stamp of the Notified Body 1020

Prague, August 17, 2017



Ing. Iveta Jiroutová
Deputy manager of the Notified Body