

Technical data sheet

TP wall and ceiling bracket

Item no. 6365906



TP wall and ceiling bracket with clamping lugs for screwless mesh cable tray fastening.



St	Steel
FS	Strip galvanised

Additional product text, instruction	If the bracket is fastened directly to the wall or ceiling, then, for reasons of stability, always use the spacer, type DS 4. Max. side height of the cable support system 60 mm.
--------------------------------------	--

Master data

Item no.	6365906
Type	TPDG 145 FS
Description 1	Wall and ceiling strap
Description 2	for mesh cable tray
Dimension	B145mm
Material	Steel
Material symbol	St
Surface	Strip galvanised
Surface to DIN	DIN EN 10346
Surface symbol	FS
Smallest sales unit (VG)	6,00 Piece
Weight	52,00 kg/100 pc.


Technical data sheet

TP wall and ceiling bracket

Item no. 6365906



Technical data



Width	145,00 mm
Dimension B	145,00 mm
Dimension L	50,00 mm
Version	Suspension bracket (C clamp)
F in ceiling	1,30 kN
F in kN wall	1,40 kN
for width	100,00 - 100,00 mm
Suitable for tray/ladder width	100,00 mm
Suitable for maintaining electrical function	☐
Suitable for cable tray	☐
Suitable for cable ladder	☐
Suitable for mesh cable tray	☒

Appr. load:

Anchor, approved F 1.65	1,65 kN
Anchor, approved F 3.57	3,57 kN

Technical data sheet

TP wall and ceiling bracket

Item no. 6365906



Technical data

Appr. load:

Technical data sheet

TP wall and ceiling bracket

Item no. 6365906



Technical data

Appr. load: